RECEIVED
CENTRAL FAX CENTER

MAR 0 9 2007

FAX: 571-272-8300

March 9, 2007

Re: Application No 09/761,893

Dear Dr. Duriston and Dr. Yucel,

I have read the Office communication regarding my patent application 09/761893.

The 1/3/2007 amendment was amended according to the suggestion of the 12/29/2006 final rejection. On pages 6-8 of the last Office Action, the previous examiner used boldface to stress that "In order to have this rejection withdrawn, applicant may want to place the limitation of bone marrow aspirate from claim 23 in independent claim 1.... In order to have the rejection withdrawn, applicant may want to remove the pore size range from claim 1." In other words, the 1/8/2007 amendment was completely amended by following the suggestion of the last Office Action.

The pore size limitation, 0.4 to 40 microns, was previously added to claim 1. It was further amended to be 0.4 to 20 microns as well as to 1.5 to 20 microns.

However, the previous examiner did not allow the pore size limitation in the claim.

Since the 1/8/2007 amendment was amended by following the suggestion of the last Office Action, but it has not been entered. Would you please kindly give me a suggestion how to process the application? Your help will be highly appreciated.

Shih-Chiel Hung Shih-Chich Hung

886-2-28757557 ext 118 (voice)

886-2-28265164 (fax)

hungsc@vghtpe.gov.tw(email)

No 201 Shih-Pai Rd Section II,

Taipei-Veterans General Hospital, Taipei,

Taiwan, R. O. C.

PS: I will try to call you again. By the way, the voice message says that the 571-272-2916 is unassigned.